CENTRE FOR HEALTHCARE INNOVATION. CHI Learning & Development System (CHILD)

**Project Title** 

"Finding Cinderella": Reducing the Rate of Uncollected Customized Insoles Achieves

Many Improvements for a "Happy Ending"

**Project Lead and Members** 

Ng Chuan Guan

• Lai Shi Eu Michelle

• Phua Li Ann Melissa

Khalid Anuar

**Organisation(s) Involved** 

Tan Tock Seng Hospital

**Project Category** 

Process Improvement, Quality Improvement

Keywords

Process Improvement, Quality Improvement, Quality Improvement Tool, Workflow

Redesign, Workflow Improvement, Root Cause Analysis, Cause-and-effect Diagram,

Pareto Chart, Multi-voting, Uncollected Customized Insole, No Show, Insufficient

Storage, Financial Loss, Optimize Storage Space, Improve Patient Communication,

Quality Improvement Methodology, Tan Tock Seng Hospital, Allied Health, Podiatry

Name and Email of Project Contact Person(s)

Name: Ng Chuan Guan, TTSH Podiatry

Email: Chuan\_Guan\_NG@ttsh.com.sg

# "Finding Cinderella": Reducing the Rate of Uncollected Customized Insoles Achieves Many Improvements for a "Happy Ending"










Ng Chuan Guan, Lai Shi Eu Michelle, Phua Li Ann Melissa, Khalid Anuar



#### BACKGROUND

- TTSH Podiatry Service manages patients with a wide variety of foot conditions using customised i.e. plantar fasciitis, Achilles tendonitis and diabetic foot ulcers.
- 8% of patients fail to return for insole fitting. Uncollected insoles are discarded 1 year after cast date.
- Without these customised insoles, the patient's condition may deteriorate, compromising care and safety.
- Other problems include:
  - > Financial lost to patients
  - > Waste of appointment slots due to no shows
  - > Insufficient storage space to store accumulating uncollected insoles



## AIM: Reduce & Sustain the Rate of Uncollected Customized Insoles

#### **METHODOLOGY**

Baseline statistical data on the volume of fabricated and uncollected customised insoles were obtained prior to project implementation.

**EQUIPMENT** 

Quality improvement tools were then used to identify possible root causes.




Root Cause Analysis involving a Cause-and-Effect diagram was conducted by a team of staff involved in the various touch points of the service delivery.



No regular checks conducted on insoles pile

Using the Pareto Principle, root causes were identified and prioritised through multi-voting.

- > The main causes identified in order of priority:
  - 1. No clear workflow
  - 2. No overall in-charge to monitor progress of uncollected insoles
  - 3. No proper housekeeping of storage area
  - 4. Problem not identified earlier








Figure 1: Workflow (Pre-Intervention)



# INTERVENTION



Micro Flow

## Improved Workflow

Workflow revamped eliminate gaps improve work clarity.



#### 2. Improved Patient **Communication Flow**

- Patients informed during consult that uncollected insoles will be discarded from casting one year date.
- PSAs will contact patients defaulted their appointments schedule their collection date (maximum 2 calls made per patient).
- Reminder letters, stating the discard policy, will be sent to uncontactable patients.



After a six-month implementation period:

- > Median percentage of uncollected insoles reduced from 8.1% to 1.1%. This was sustained at an average 0.79% or less than 2 insoles per month.
- > Translated into cost avoidance savings of at least \$8,614 and 15 hours of appointment slots per year (as compared to initial \$13,930 and 23 hours).




Figure 6: Run Chart of Uncollected Insoles on Total Insoles Made




Figure 4: Improved Workflow and Patient Communication

### 3. Improved Storage Space Utilisation

- Designated storage area - Uncollected insoles segregated from other uncollected devices
- Clear labelling on storage shelves
- Proper housekeeping maintained

# **AFTER BEFORE**

Figure 5: Storage Space Pre and Post Intervention

Initiatives implemented showed positive significant outcomes accomplishing the project's Positive results from this project may be spread to other work areas which offer patients with customized products but face similar issues such as defaulting treatment and storage space.





CONCLUSION