

Project Title

Spirobooth: Innovation to Mitigate COVID19 Risk in the Lung Function Laboratory

Project Lead and Members

- Biju Thomas
- Yoke Hwee Chan
- Jye Yng Teo
- Ko Hui Tan
- Koh Cheng Thoon
- Oon Hoe Teoh
- Arun Pugalenthi
- Jing Chun Teo

Organisation(s) Involved

KK Women's and Children Hospital

Healthcare Family Group(s) Involved in this Project

Medical, Respiratory Therapy, Healthcare Administration, Engineering

Applicable Specialty or Discipline

Respiratory Medicine, Infectious Disease

Project Period

Start date: Jun 2020

Completed date: Jan 2021

Aim(s)

To develop a novel, self-contained, purpose-built booth - "SpiroBooth" to help conduct spirometry safely, effectively and efficiently during COVID-19 and beyond.





Background

See poster appended/ below

Methods

See poster appended/ below

Results

See poster appended/ below

Conclusion

See poster appended/ below

Additional Information

Singapore Healthcare Management Congress 2022 – Merit Award (Operations category)

Project Category

Care & Process Redesign

Job Effectiveness, Valued Based Care, Productivity, Operational Management, Safe Care, Risk Management, Build Environment, Space Planning, Facilities Management, Facilities Engineering, Inventory Space Management

Technology

Prototyping Resources, Innovation Space, Designer

Keywords

Spirometry, Aerosol Generating Procedure (AGP), Lung Function Laboratory, Self-Contained Purpose Built Booth: "SpiroBooth"



Name and Email of Project Contact Person(s)

Name: Biju Thomas

Email: singaporehealthcaremanagement@singhealth.com.sg



Introduction

Results

Spirometry is a common pulmonary function test performed worldwide to diagnosis and manage patients with respiratory conditions. It involves patient

The team successfully developed, validated and installed 3 SpiroBooths in the lung function laboratory and achieved

forcefully exhaling air into a mouthpiece and hence is considered an Aerosol Generating Procedure¹ (AGP). Given the high risk of COVID-19 transmission, spirometry testing in lung function laboratories worldwide, had to be greatly reduced or ceased with the evolving COVID-19 pandemic. Resuming spirometry has been operationally challenging in most lung function laboratories across the world.

Revised workflow for spirometry at KK Women's and Children's Hospital (KKH) during early phase of COVID-19 pandemic:

- 1) Technologists must conduct Spirometry in full Personal Protective Equipment (PPE)
- 2) Spirometry have to be done in isolation rooms & and the rooms needed through disinfection after each procedure.

Negative Impact:

- 1) Poorer patient and staff experience and well-being.
- 2) Impaired ability to demonstrate the technique and communicate with children, as the technologist if in full PPE .
- 3) Reduced slots due to higher turnaround time & limited rooms
- 4) Cost of PPE

5) Delay and cancellations of spirometry, resulting patient dissatisfaction and negative effect on care delivery.

three significant outcomes.

(1) Improved turn-around time to meet the demand for spirometry tests as in the pre-COVID period



(2) Improved Safety of Spirometry conduct: Validation and safety studies

Objective:

To develop a novel, self-contained, purpose-built booth - "SpiroBooth" to help conduct spirometry *safely*, *effectively* and *efficiently* during COVID-19 and beyond.

Methodology



A team comprising of respiratory physicians, lung function technologists, infectious disease specialists; and administrative and engineering experts were put together to execute this project between Jun 2020 to Jan 2021. Air Filtration efficacy²

- Achieved 99.4% filtration efficiency for 3μm particles.
- Achieved 99.9% filtration efficacy for airborne infectious particulate matter (Bacteriophage - p22)

Ultraviolent-C sterilisation safety²

- Achieved 99.99% disinfection (4 log reduction) in 3.5min on high touch areas (based on surrogate target microorganism influenza A virus)
- UVC leakage through booth measured was between 0.03 to 0.13 μ w/cm², well within the recommended safe limit of <0.2 μ w/cm²

(3) Improved operational capacity and Patient & Staff Experience



100% confidence in safety among patients.

Most patients (and parents)

preferred to do the test

inside the SpiroBooth.

SpiroBooth. 1: AIRTECH ACP-897CH Clean Partition HEPA filter system; 2: UVC system; 3: Chair; 4: Intercom; 5: stainless steel base for the clip-on height adjustable holder for the spirometer mouthpiece (optional); 6: spirometer; 7: holder tray; 8: PC monitor; 9: UVC disinfection system control panel. Booth specification and validation tests were carefully designed according to clinical requirements and workflow.

Patient feedback (n=80) and a time-motion study (n=30) were performed over 3,136 patients to evaluate the effectiveness of the setup compared to doing spirometry in the pre-COVID-19 times.

Reference

¹Helgeson, S. A., Lim, K. G., Lee, A. S., Niven, A. S., & Patel, N. M. (2020). Aerosol Generation during Spirometry. Annals of the American Thoracic Society, 17(12), 1637–1639. https://doi.org/10.1513/AnnalsATS.202005-569RL ²Thomas, B., Teo, J. C., Teo, J. Y., Tan, K., Thoon, K. C., Teoh, O. H., Pugalenthi, A., & Chan, Y. H. (2021). SpiroBooth-innovation to mitigate COVID-19 risk in the lung function laboratory. *Pediatric pulmonology*, *56*(10), 3438–3440. 30 20 15 14 10 10 0 5-10 years 11-16 years > 17 years old All ■ CONFIDENT Safety (Yes) ■ CONFIDENT Safety (No)

Conclusion

SpiroBooth has helped lung function laboratory maintain operational capacity and efficiency during this COVID-19 pandemic. The improved quality of care, patient and staff experience and most importantly, safety were important outcomes of this innovation. This innovation may be adopted by lung function laboratories that face similar challenges across the world.