

Project Title

To increase percentage of NCCS patients with critical results on radiological studies informed to clinician in less than 60min from 64% to 80% in 9 months

Project Lead and Members

- Dr Chew Lee Lian
- Kym Sor Chai Kam
- Andy Lin
- Joanna Mah
- Chin Fong Kwai
- Prof Thng Choon Hua
- Lee Theng Boon

Organisation(s) Involved

National Cancer Centre Singapore, SingHealth

Healthcare Family Group(s) Involved in this Project

Allied Health

Specialty or Discipline

Oncologic Imaging

Project Period1

Start date: Dec-2016

Completed date: May-2017

Aims

To increase percentage of NCCS patient with critical results on radiological studies informed to clinician in <60min from 64% to 80% in 9 months



Background

See poster appended / below

Methods

See poster appended / below

Results

See poster appended / below

Lessons Learnt

Reviews of implementation results and re-analyse the PDSA cycles to achieve the mission statement goals.

Conclusion

See poster appended / below

Additional Information

Singapore Healthcare Management (SHM) Conference 2018 – Risk Management Category

Project Category

Care & Process Redesign, Value Based Care, Risk Management, Quality Improvement, Clinical Practice Improvement

Keywords

Timely Detection and Notifications of Critical Findings

Name and Email of Project Contact Person(s)

Name: Dr Chew Lee Lian

Email: singaporehealthcaremanagement@singhealth.com.sg

To increase percentage of NCCS patients with critical results on radiological studies informed to clinician in less than 60min from 64% to 80% in 9 months



SingHealth

Singapore Healthcare Management 2018



Dr Chew Lee Lian / Kym Sor Chai Kam / Andy Lin / Joanna Mah / Chin Fong Kwai / Prof Thng Choon Hua / Lee Theng Boon

Division of Oncologic Imaging

Introduct		Risk Mitigation Strategies						
NCCS Division of Oncologic Imaging (DOI) is an outpatient imaging service.	Radiologists only need 1. There is a high deg 2. There is a reasona	List of Adult Radiology Critical Results to treat these conditions as 'critical' if: pree of certainty that the patient has one of these conditions ble chance that the ordering provider was not aware of the condition		Three PDSA cycles were tested from Dec 2016 to May 2017 as summarized below:				
Under Dept protocol, all critical results must be notified to the referring clinician	Anatomical Area Critical Results Cerebral Haemorrhage / Haematoma		PDS	PDSA	Start Date	Problem	Description of Intervention	Actual Steps
in less than 60min. Baseline data	CNS	Brain Tumour with mass effect Acute Stroke with mass effect		1	1 Dec 2016	Clinicians not	Form an	When uncontactable or busy:

showed only about 64% of patients with critical findings detected on scans were informed to the clinicians in less than 60 minutes.

In Sep 2016, a Quality Improvement (QI) Project team was formed to tackle this problem.

	Spinal Cord Compression					
Neck	Carotid Artery Dissection					
Chest	Tension Pneumothorax					
	Aortic Dissection					
	Central Pulmonary Embolism					
	Ruptured Aneurysm or Impending Rupture					
	Mediastinal Emphysema					
Abdomen	Free Air in Abdomen (if no recent surgeries)					
	Ischaemic Bowel					
	Portal Venous Air					
	Volvulus					
	Traumatic Visceral Injury					
	Retroperitoneal Haemorrhage					
Uro-genital	Ectopic Pregnancy					
	Testicular Torsion					
	Ovarian Torsion					
Vascular	Acute Vascular Occlusion					
Bone	Necrotising Fasciitis					
General	Significant Line or Tube Misplacement (e.g. feeding tube in airway)					

Mission Statement

To increase percentage of NCCS patients with critical results on radiological studies informed to clinician in <60min from 64% to 80% in 9 mths.

Methodology

The QI team analysed the problem by using the cause and effect (Fishbone) diagram.

1	1 Dec 2016	contactable or on leave	Form an alternative call plan when the primary clinician is on leave/ uncontactable	 Send TigerText to the clinician to refer to Clin Docs or email Clinician to close the loop by acknowledging receipt of the message <u>When on leave:</u> Medical and surgical oncology team lists uploaded onto Infopedia Duty doctor to call senior resident from the team of primary clinician
2	1 Mar 2017	Critical Findings missed by radiographers	Dedicated radiographer to screen through completed scans with checklist	 Roster 1 dedicated radiographer to screen through all completed CTs and MRIs checklist with critical conditions for radiographer to screen for Stick this checklist on the wall of CT and MRI rooms for easy reference
3	1 May 2017	Critical Findings missed by radiographers /duty doctors	Conduct teaching sessions to educate the radiographers and junior doctors about imaging findings of various critical conditions.	 Organize lunchtime lectures once every week for radiographers and junior doctors for 6 weeks Conducted by junior residents under supervision of a consultant, one region per week – chest, abdomen, neurology, spine etc. Powerpoint slides are uploaded to Infopedia for easy reference.



Using the Pareto chart, the QI team prioritised on 3 causes to focus on:

- 1. Loose definition of Critical findings
- 2. Critical findings missed by radiographers/duty doctors
- 3. Clinician uncontactable or on leave

After PDSA 1 and PDSA 2 cycles, there was no significant improvement.

Results

Only after PDSA cycle 3, the percentage of critical result notification in <60min improved from a median of 64.4% to 79.9%. The goal set for the QI project was therefore attained and sustained.



Conclusion

Pareto Chart of Critical Result QI project 2016



Timely detection and notification of critical findings detected on radiological studies is crucial in preventing unnecessary delays in appropriate treatment for the patients. With improvement strategies implemented through 3 PDSA cycles from Dec 2016 to May 2017, the percentage of critical results notified in less than 60min was successfully increased from 64% to 80%.

Acknowledgements

The authors would like to acknowledge Division of Oncologic Imaging staff who had participated in the project to make it a success.

